CERTOTTICA SCRL

Authority for the certification of Personal Protective Equipment
Zona Industriale Villanova 7/A
32013 Longarone (BL) Italy
Tel.: ++39 437 573407 Fax: ++39 437 573131
E-Mail: info@dolomiticert.it - Web: www.certottica.it

PRODUCT CERTIFICATION ACCREDIA 00719

EU TYPE-EXAMINATION CERTIFICATE

n. AC: 25-279

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

CERTOTTICA SCRL

NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no. **D 2025-5038** , presented in date **03/11/2025**

CERTIFIES THAT

the Personal Protective Equipment

Personal protective equipment for the prevention of falls from a height – Lanyard for work positioning and restraint

model

A029

presented by

COFRA S.r.l.

Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the Personal Protective Equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3 .4 of the present document.

First issue date:	**14/11/2025**
Renewal or revision date:	/
Expiration date:	**13/11/2030**
Longarone,	**14/11/2025**

The Director of the Notified Body

(Luca Tamburlini)

CERTOTTICA Longarone N.B. 2008

This document consists of no. 4 numbered pages.

1. Description of the Personal Protective Equipment


Product designation:	A029
Commercial trade name:	COFRA
Intended purpose:	Personal protective equipment for the prevention of falls from a height – Lanyard for work positioning and restraint
Model:	A029
Reference code:	Various (see notes at page 3)
In Conformity with the Standard(s):	EN 358:2018 and /
PPE Category:	III
Variants:	Fourteen variants provided, depending by the maximum length of the lanyard when totally extended and by the model of integrated connectors (see notes at page 3).
Main components and materials:	Rope lanyard (both sheath and core): Polyester; Length adjustment device, main material: Aluminium 6061; Terminations' stitching: Polyester HT; Terminations' heat-shrinking sheath: Polyethylene; Free end termination's plastic thimble: Polyethylene; External protective sheath: Polyester
Weight of the device:	See notes at page 3
Length of the device:	See notes at page 3
Width/diameter of the device:	Rope lanyard diameter: 12 mm

PPE description: Adjustable lanyards of the family "A029" are personal protective equipment to be used for the prevention against falls from a height during work positioning and restraint activities. They are compliant with EN 358:2018 and are adjustable in length by means of a metallic length adjustment device. One only colour combination provided for this equipment.

Manufacturer's name:	COFRA S.r.l.
Manufacturer's address:	Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy
Authorised Representative's name:	/
Authorised Representative's address:	/
Certificate's holder :	COFRA S.r.l.
Holder's address:	Via dell'Euro 53-57-59 - 76121 BARLETTA (BT) - Italy




A029 lanyard - TELGART family



A029 lanyard - GEMEREK family



Length adjustment device



Length adjustment device, dimensions in mm

CERTOTTICA Longarone N.B. 2008

2. Levels of protection offered by the personal protective equipment and notes:

Applicable Standards:

EN 358:2018 - "Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning and restraint"

/

/

The protection equipment A029
is in conformity with the basical requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 358:2018 and /

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

/

The performance characteristics of the protection equipment are:

Maximum rated load declared: 150 kg

/

/

Notes:


Two product families provided, "TELGART", equipped with the connector code "A047-1000" from the length adjustment device side and with the connector code "A070-1003" from the free termination side, and "GEMEREK", equipped with the connector code "A048-1001" from the length adjustment device side and with the connector code "A071-1003" from the free termination side; both families are composed by seven variants depending by the maximum length of the lanyard when totally extended, for a total of fourteen variants provided: **A029-1001** ("TELGART" family, maximum length 2 meters, weight 885 grams), **A029-1002** ("TELGART" family, maximum length 3 meters, weight 995 grams), **A029-1003** ("TELGART" family, maximum length 4 meters, weight 1105 grams), **A029-1004** ("TELGART" family, maximum length 5 meters, weight 1215 grams), **A029-1005** ("TELGART" family, maximum length 10 meters, weight 1765 grams), **A029-1006** ("TELGART" family, maximum length 15 meters, weight 2315 grams), **A029-1007** ("TELGART" family, maximum length 20 meters, weight 2865 grams), **A029-1011** ("GEMEREK" family, maximum length 2 meters, weight 740 grams), **A029-1012** ("GEMEREK" family, maximum length 3 meters, weight 850 grams), **A029-1013** ("GEMEREK" family, maximum length 4 meters, weight 960 grams), **A029-1014** ("GEMEREK" family, maximum length 5 meters, weight 1070 grams), **A029-1015** ("GEMEREK" family, maximum length 10 meters, weight 1620 grams), **A029-1016** ("GEMEREK" family, maximum length 15 meters, weight 2170 grams) and **A029-1017** ("GEMEREK" family, maximum length 20 meters, weight 2720 grams).

3. Test results and test examinations are covered by the following test reports:

Certottica Scrl	d241649	17/02/2025
Dolomiticert Scarl	190766	14/06/2019

CERTOTTICA Longarone N.B. 2008

4. Marking



Placement of the marking: Label included under a plastic heat-shrinking sheath on a free-end termination of the rope lanyard, dimensions 65 mm x 30 mm. The example above refers to the variant code A029-1001; for the other variants, markings are the same unless the family name, the code and the maximum length.

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate: **YES**

Terms and conditions under which the Certificate is issued

a) Marking and instructions were examined in Italian. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to CERTOTTICA.
c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by CERTOTTICA for the EU Certification.
d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
f) The present Certificate remains property of CERTOTTICA, which can ask for it back if some of the above mentioned conditions are not respected.
g) Any subsequent revision of the present document automatically deletes and replaces it from the date of issue of the revised certificate (the start of validity, that is the renewal or revision date included at page 1 of this Certificate).
h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

CERTOTTICA Longarone N.B. 0008