CERTOTTICA®

00719

# EU TYPE EXAMINATION CERTIFICATE

## n.: AC 26-21

In accordance with Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016,

**CERTOTTICA Scrl**

**Identification number 2008**

Considering the application for EU type examination **D 2025-5227** submitted on **26/01/2026**

**ATTESTS THAT**

the following model of personal protective equipment

ROTEXTEN

**Presented by**

**Cofra S.r.l.**

**Via dell'Euro, 53-57-59 - Barletta (BT) 76121 - Italia**

Meets the applicable essential health and safety requirements.

The description of the model of personal protective equipment, references to standards, results of tests, and the description of the CE marking on the device are described on the next pages of this certificate.

| | |
|---|---|
| Date of first issuance (dd/mm/yyyy): | 04/02/2026 |
| Renewal or revision date (dd/mm/yyyy): | - |
| Expiration date (dd/mm/yyyy): | 24/10/2028 |
| Longarone | 04/02/2026 |

Scheme Manager
(Michele Perenzin)

CERTOTTICA Longarone N.B. 2008

## 1. Product description

| | |
|---|---|
| Manufacturer | Cofra Srl |
| Manufacturer Address | Via dell'Euro 53-57-59 - Barletta (BT) 76121 - Italy |
| Authorized representative | - |
| Authorized Representative Address | - |
| Type PPE | Personal eye protector - Spectacle |
| Field of application | Eye protection |
| Trademark | COFRA |
| Name | ROTEXTEN |
| Compliant with standard(s) | EN ISO 16321-1:2022 |
| Category of membership | II |
| Notes | - |

## 2. Levels of protection offered by the personal equipment, specific description of the PPE and notes:

Applicable standards:

EN ISO 16321-1:2022 - Eye and face protection for occupational use - Part 1: General requirements

Product variants:

| Variants | Code |
|---|---|
| ROTEXTEN with Clear lens | Clear |
| ROTEXTEN with Yellow lens | Yellow |
| ROTEXTEN with I/O lens | I/O |
| ROTEXTEN with Grey lens | Grey |

PPE description:

Personal eye-protector composed of a single lens (lens that cover both eyes) in Polycarbonate assembled on a frame in Nylon with two temples in Nylon. Temple tips and nose pads are in Thermoplastic Rubber.

The eye-protector model ROTEXTEN is in four lens variants:
• Clear lens (high-speed impact resistance at extremes of temperature – Impact level C, ultraviolet protective filters with resistance to surface damage due to flying fine particle and resistence to fogging);
• Yellow lens (high-speed impact resistance at extremes of temperature – Impact level C, ultraviolet protective filters);
• I/O lens (high-speed impact resistance at extremes of temperature – Impact level C, ultraviolet protective filters);
• Grey lens (high-speed impact resistance at extremes of temperature – Impact level C, Sunglare filters for occupational use with resistance to surface damage due to flying fine particle and resistence to fogging);
Protective Spectacles model ROTEXTEN is designed with enhanced optical performance and it fits a head with size 1-M.
No frame variants.

CERTOTTICA Longarone N.B. 2008

Main dimensions of the PPE, including sizes and weight

Height x Length x Width (mm): 48 x 159 x 154
Weight (g): 30

The performance level(s) or the protection class(es) of the PPE:

**Frame - Mechanical performances:**

- high-speed impact resistance at extremes of temperature, impact level C *[marking symbol "CT"].*

**Frame - Optical performances:**

- ultraviolet protective filters *[Clear and Yellow lens variants - marking symbol "UL1,2", I/O lens variant - marking symbol "UL1,4"];*
- sunglare filters for occupational use *[Grey lens variant - marking symbol "GL3"].*

**Lens - Mechanical performances:**

- high-speed impact resistance at extremes of temperature, impact level C *[marking symbol "CT"];*
- Resistance to surface damage due to flying fine particle *[Clear and Grey lens variants - marking symbol "K"];*
- Resistence to fogging of lenses or filters *[Clear and Grey lens variants - marking symbol "N"].*

**Lens - Optical performances:**

- ultraviolet protective filters *[Clear and Yellow lens variants - marking symbol "UL1,2", I/O lens variant - marking symbol "UL1,4"];*
- sunglare filters for occupational use *[Grey lens variant - marking symbol "GL3"];*
- enhanced optical performance *[marking symbol "1"].*

## 3. Test results and test examinations are covered by the following test reports

| | | |
|---|---|---|
| Certottica Scrl | 234485 | 15/09/2023 |
| Certottica Scrl | 234486 | 15/09/2023 |
| Certottica Scrl | 234488 | 15/09/2023 |
| Certottica Scrl | 234489 | 15/09/2023 |

## 4. Marking

CERTOTTICA Longarone N.B. 2008

| | Lens Marking | | Frame Marking | |
|---|---|---|---|---|
| Lens variant | Marking | Position and kind of application | Marking | Position and kind of application |
| Clear | CE UL1,2 CT 1 K N CE | On the front side of the ocular, in the upper left position. Laser engraved marking. | 16321 CE U1,2 CT 1-M Rotexten CE | On the right temple, inner position. Engraved and Laser engraved marking. |
| Yellow | CE UL1,2 CT 1 CE | | 16321 CE U1,2 CT 1-M Rotexten CE | |
| I/O | CE UL1,4 CT 1 CE | | 16321 CE U1,4 CT 1-M Rotexten CE | |
| Grey | CE GL3 CT 1 K N CE | | 16321 CE G3 CT 1-M Rotexten CE | |

**NOTE:**

- ✓ CE is the manufacturer's identification symbol;
- ✓ Due to the nature and design of the PPE, the CE marking logo on the PPE is lower than 5 mm; the CE marking is reported also in Informative note and/or packaging and it is at least 5mm height;
- ✓ right and left positions are defined with the eye-protector worn.

*Images of complete PPE*



*ROTEXTEN – Clear lens*

## Terms and conditions under which the Certicate is issued

a) Marking and instructions were examined in English. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.

b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to CERTOTTICA.

c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by CERTOTTICA for the EU Certification.

CERTOTTICA Longarone N. 0008

d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.

e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.

f) The present Certificate remains property of CERTOTTICA, which can ask for it back if some of the above mentioned conditions are not respected.

g) Any subsequent revision of the present document automatically deletes and replaces it from the date of issue of the revised certificate (the start of validity, that is the renewal or revision date included at page 1 of this Certificate).

h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

---

*End of the Certificate*

CERTOTTICA Longarone N.B. 2008